




TESLA CYBERTRUCK

From 2023 - Present



Li-Ion 48V Li-Ion 800V

	Airbag		SRS control unit		Stored gas inflator		Seat belt pre-tensioner		Gas strut / Preloaded spring
	Battery Low Voltage		Battery pack, high-voltage		High voltage power cable		Cable cut		High strength zone



TESLA CYBERTRUCK
FROM 2023 - Present

ID No.

TESLA-2023CA-001

Version No.

01

Page No.

01/04

1. Identification / Recognition




WARNING LACK OF ENGINE NOISE DOES NOT MEAN VEHICLE IS OFF. SILENT MOVEMENT OR INSTANT RESTART CAPABILITY EXISTS UNTIL VEHICLE IS FULLY SHUT DOWN. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT (PPE).



NOTE: The model's name does not appear on the exterior of the vehicle.

2. Immobilization / Stabilization / Lifting


IMMOBILIZATION



CHOCK WHEELS



PUSH TO PARK on overhead console



STABILIZATION / LIFTING POINTS

	Appropriate lift area
	Safe stabilization points for resting on its side
	High Voltage (HV) Battery




Do not push on HV Battery.



3. Disable Direct Hazards / Safety Regulations


ACCESS



DISABLE METHOD



- Open the hood.
- Double cut the First Responder Loop.
- Disconnect the 48V battery.



Not every high voltage component is labeled. Always wear appropriate PPE. Always double cut the first responder loop. Do not attempt to open the high voltage (HV) battery or 48V battery



TESLA CYBERTRUCK
FROM 2023 - Present

ID No.

TESLA-2023CA-001

Version No.

01

Page No.

02/04

4. Access to the occupants



Electrical and mechanical releases may be compromised after a collision.



NOTE: The seats and steering wheel are electrically powered and may not function after a collision.

NOTE: After a collision, the doors may not unlock from the outside. Extrication may be required. The body is constructed of stainless-steel exterior panels with ultra-high strength steel inner structure.

NOTE: The windshield, top glass, and side windows are made of laminated glass.

<p>Opening Doors with electrical power</p>	<p>Opening Doors with electrical power</p>	<p>Opening tonneau cover and liftgate with electrical power</p> <ol style="list-style-type: none"> 1. Tonneau open 2. Tonneau close 3. Tailgate open 	<p>Opening hood with electrical power</p>
<p>Opening Front Door without electrical power</p>	<p>Opening Rear Door without electrical power</p>	<p>NON-OPERATIONAL WITHOUT ELECTRICAL POWER</p>	<p>Opening hood from outside without electrical power: Use a 12-volt power supply to OPEN.</p>

Windshield, Roof, and Side Windows are Laminated Glass.



1. External body panels made of stainless steel.
2. Understructure for the A, B, C pillar are made of ultra-high strength steel.



5. Stored energy / liquids / gases / solids

		<p>48V Li-Ion</p>
		<p>800V Li-Ion</p>



All high voltage cables have ORANGE INSULATION.



Never cut or open high voltage components or cables.



Coolant is blue



TESLA CYBERTRUCK
FROM 2023 - Present

ID No.

TESLA-2023CA-001


Version No.

01

Page No.

03/04

6. In Case of Fire



DO NOT SUBMERGE VEHICLE TO EXTINGUISH/COOL BATTERY FIRE



POSSIBLE BATTERY RE-IGNITION!

MONITOR HV BATTERY AMBIENT TEMPERATURE FOR AT LEAST 24 HOURS



USE LARGE AMOUNTS OF WATER TO COOL THE BATTERY ENCLOSURE FROM THE BOTTOM OF THE VEHICLE




USE OF FIREFIGHTING FOAM IS NOT RECOMMENDED AND ONLY WATER SHOULD BE USED TO COOL THE BATTERY ENCLOSURE

7. In Case of Submersion

Treat a submerged vehicle like any other submerged vehicle. Wear appropriate PPE for water rescue. Remove the vehicle from the water and continue with normal high voltage disabling. Any vehicle submerged in water [including non-Tesla vehicles] could pose a fire risk. Tilt the vehicle to the rear to allow water to drain out and store flat.

8. Towing / Transportation / Storage



HV BATTERY TEMPERATURE SHOULD BE CHECKED BEFORE TRANSPORT



POSSIBLE BATTERY RE-IGNITION!
AFTER A FIRE INCIDENT, STORE OUTSIDE AT A SAFE DISTANCE (AT LEAST 50 FT/15 M) FROM OTHER VEHICLES AND STRUCTURES!

9. Important Additional Information

Tow Providers with emergencies, call Tesla Roadside Assistance. Refer to <https://www.tesla.com/roadside-assistance> for applicable hotline number.

First Responder information can be found at <https://www.tesla.com/firstresponders>. First Responders and training officers who have questions, contact firstrespondersafety@tesla.com.

10. Explanation of Pictograms



TIC/IR - thermal imagery camera / infrared



SCBA - mandatory use breathing equipment



TESLA CYBERTRUCK
FROM 2023 - Present

ID No.

TESLA-2023CA-001

Version No.

01

Page No.

04/04